

# SAFE GUARDS

SGS CONSUMER TESTING SERVICES

SOFTLINES

NO. 075/09 APRIL 2009

## SYMBOLS AND EXPLANATION FORM GB/T 8685-2008

ENGLISH VERSION

Symbol	Washing
	—Maximum washing Temperature 95°C —Normal Process
	—Maximum washing Temperature 70°C —Normal Process
	—Maximum washing Temperature 60°C —Normal Process
	—Maximum washing Temperature 60°C —Mild Process
	—Maximum washing Temperature 50°C —Normal Process
	—Maximum washing Temperature 50°C —Mild Process
	—Maximum washing Temperature 40°C —Normal Process  ( to be continued)

<i>(continued)</i> Symbol	Washing
	—Maximum washing Temperature 40°C —Mild Process
	—Maximum washing Temperature 40°C —Very Mild Process
	—Maximum washing Temperature 30°C —Normal Process
	—Maximum washing Temperature 30°C —Mild Process
	—Maximum washing Temperature 30°C —Very Mild Process
	—Hand Wash —Maximum washing Temperature 40°C
	—Do not wash

Symbol	Bleach
	—Any bleaching agent allowed
	—Only oxygen/non-chlorine bleach allowed
	—Do not bleach

Symbol	Natural Air Dry	Symbol	Natural Air Dry
	—Line drying		—Line drying in the shade
	—Drip drying		—Drip drying in the shade
	—Flat drying		—Flat drying in the shade
	—Flat and drip drying		—Flat and drip drying in the shade

Symbol	Tumble Dry
	—Tumble dry —Maximum exhaust temperature: 80°C
	—Tumble dry —Maximum exhaust temperature: 60°C
	—Do not tumble dry

Symbol	Iron
	—Iron at maximum sole plate temperature of 200°C
	—Iron at maximum sole plate temperature of 150°C
	—Iron at maximum sole plate temperature of 110°C —Steam ironing may cause irreversible damage
	—Do not iron

Symbol	Textile Care Process
	—Professional dry cleaning in tetrachloroethene and all solvents listed for the symbol F —Normal Process
	—Professional dry cleaning in tetrachloroethene and all solvents listed for the symbol F —Mild Process
	—Professional dry cleaning in hydrocarbons (distillation temperature between 150~210°C, flash point between 38~70°C) —Normal Process
	—Professional dry cleaning in hydrocarbons (distillation temperature between 150~210°C, flash point between 38~70°C) —Mild Process
	—Do not dry clean
	—Professional wet cleaning —Normal Process
	—Professional wet cleaning —Mild Process
	—Professional wet cleaning —Very Mild Process

## FOR ENQUIRIES:

Global Competences Support Centre: [gpsc@sgs.com](mailto:gpsc@sgs.com)  
Ruth Hon +852 2774 7148 [Ruth.Hon@sgs.com](mailto:Ruth.Hon@sgs.com)

Asia – Hong Kong. Tel: +852 2334 4481 Fax: +852 2144 7001 [mktg.hk@sgs.com](mailto:mktg.hk@sgs.com)  
Australasia \_ Perth. Tel: +61 (0) 3 9790 3418 Fax: +61 (0) 3 9701 0988 [au.cts@sgs.com](mailto:au.cts@sgs.com)  
Europe – London —UK. Tel: +44(0) 20 8991 3410 Fax: +44 (0) 20 8991 3417 [gb.cts.sales@sgs.com](mailto:gb.cts.sales@sgs.com)  
Africa & Middle East – Turkey. Tel: +90 212 225 0024 Fax: +90 212 296 47 82 [sgs.turkey@sgs.com](mailto:sgs.turkey@sgs.com)  
Americas – USA. Tel: +1 973 575 5252 Fax: +1 973 575 1193 [Marketing.CTS.US@sgs.com](mailto:Marketing.CTS.US@sgs.com)

[www.sgs.com](http://www.sgs.com) Global Compétences Support Centre: [gpsc@sgs.com](mailto:gpsc@sgs.com)

If you wish to unsubscribe to this technical bulletin, go here: [Unsubscribe](#)

© 2009 SGS. All rights reserved. This is a publication of SGS, except for 3<sup>rd</sup> parties' contents submitted or licensed for use by SGS. SGS neither endorses nor disapproves said 3<sup>rd</sup> parties contents. This publication is intended to provide technical information and shall not be considered an exhaustive treatment of any subject treated. It is strictly educational and does not replace any legal requirements or applicable regulations. It is not intended to constitute consulting or professional advice. The information contained herein is provided "as is" and SGS does not warrant that it will be error-free or will meet any particular criteria of performance or quality. Do not quote or refer any information herein without SGS's prior written consent.